

IN THE UNITED STATES DISTRICT COURT
FOR THE SOUTHERN DISTRICT OF TEXAS
HOUSTON DIVISION

ERIK GARCIA,)	
)	
Plaintiff,)	
)	CIVIL ACTION
vs.)	
)	Case No. 4:24-CV-00090
M.I.T. INVESTMENTS, LLC,)	
)	
Defendant.)	

COMPLAINT

COMES NOW, ERIK GARCIA, by and through the undersigned counsel, and files this, his Complaint against Defendant, M.I.T. INVESTMENTS, LLC, pursuant to the Americans with Disabilities Act, 42 U.S.C. § 12181 *et seq.* (“ADA”) and the ADA’s Accessibility Guidelines, 28 C.F.R. Part 36 (“ADAAG”). In support thereof, Plaintiff respectfully shows this Court as follows:

JURISDICTION

1. This Court has original jurisdiction over the action pursuant to 28 U.S.C. §§ 1331 and 1343 for Plaintiff’s claims pursuant to 42 U.S.C. § 12181 *et seq.*, based upon Defendant’s failure to remove physical barriers to access and violations of Title III of the ADA.

PARTIES

2. Plaintiff, ERIK GARCIA (hereinafter “Plaintiff”) is, and has been at all times relevant to the instant matter, a natural person residing in Houston, Texas (Harris County).

3. Plaintiff is disabled as defined by the ADA.

4. Plaintiff is required to traverse in a wheelchair and is substantially limited in performing one or more major life activities, including but not limited to: walking and standing.

5. Plaintiff uses a wheelchair for mobility purposes.

6. In addition to being a customer of the public accommodation on the Property, Plaintiff is also an independent advocate for the rights of similarly situated disabled persons and is a “tester” for the purpose of enforcing Plaintiff’s civil rights, monitoring, determining and ensuring whether places of public accommodation are in compliance with the ADA. Her motivation to return to a location, in part, stems from a desire to utilize ADA litigation to make Plaintiff’s community more accessible for Plaintiff and others; and pledges to do whatever is necessary to demonstrate the plausibility of Plaintiff returning to the Property once the barriers to access identified in this Complaint are removed in order to strengthen the already existing standing to confer jurisdiction upon this Court so an injunction can be issued correcting the numerous ADA violations on this property. (“Advocacy Purposes”).

7. Defendant, M.I.T. INVESTMENTS, LLC (hereinafter “M.I.T. INVESTMENTS, LLC”), is a Texas limited liability corporation that transacts business in the State of Texas and within this judicial district.

8. Defendant, M.I.T. INVESTMENTS, LLC, may be properly served with process for service via its Registered Agent, to wit: c/o Joana I. Tagaropulos, Registered Agent, 820 Richmond Avenue, Suite A, Houston, TX 77006.

FACTUAL ALLEGATIONS

9. On or about November 8, 2023, Plaintiff was a customer at “Gorditas Aguascalientes” a restaurant located at 6102 Bissonnet Street E., Houston, TX 77081 referenced herein as “Gorditas Aguascalientes”. Attached is a receipt documenting Plaintiff’s purchase. *See* Exhibit 1. Also attached is a photograph documenting Plaintiff’s visit to the Property. *See* Exhibit 2.

10. Plaintiff lives only 2 miles from the Property.

11. Given the extremely close vicinity between the Plaintiff's residence and the Property, Plaintiff is routinely travelling in front of the Property on at least a monthly basis.

12. Defendant, M.I.T. INVESTMENTS, LLC, is the owner or co-owner of the real property and improvements that Gorditas Aguascalientes is situated upon and that is the subject of this action, referenced herein as the "Property."

13. Plaintiff's access to the businesses located 6102 Bissonnet Street E., Houston, TX 77081, Harris County Property Appraiser's identification number 03706300000004 ("the Property"), and/or full and equal enjoyment of the goods, services, foods, drinks, facilities, privileges, advantages and/or accommodations offered therein were denied and/or limited because of his disabilities, and he will be denied and/or limited in the future unless and until Defendant, M.I.T. INVESTMENTS, LLC, is compelled to remove the physical barriers to access and correct the ADA violations that exist at the Property, including those set forth in this Complaint.

14. Defendant, M.I.T. INVESTMENTS, LLC, as property owner, is responsible for complying with the ADA for both the exterior portions and interior portions of the Property. Even if there is a lease between Defendant, M.I.T. INVESTMENTS, LLC, and the tenant allocating responsibilities for ADA compliance within the unit the tenant operates, that lease is only between the property owner and the tenant and does not abrogate the Defendant's independent requirement to comply with the ADA for the entire Property it owns, including the interior portions of the Property which are public accommodations. *See* 28 CFR § 36.201(b).

15. Plaintiff has visited the Property at least once before as a customer and advocate for the disabled. Plaintiff intends to revisit the Property within six months after the barriers to

access detailed in this Complaint are removed and the Property is accessible again. The purpose of the revisit is to be a return customer to Gorditas Aguascalientes, a new customer to other stores at the Property such as Tortilleria San Luis and Refreskeria Coco, to determine if and when the Property is made accessible and for Advocacy Purposes.

16. Plaintiff intends on revisiting the Property to purchase goods and/or services as a return customer living in the near vicinity as well as for Advocacy Purposes but does not intend to re-expose himself to the ongoing barriers to access and engage in a futile gesture of visiting the public accommodation known to Plaintiff to have numerous and continuing barriers to access.

17. Plaintiff travelled to the Property as a customer and as an independent advocate for the disabled, personally encountered many barriers to access the Property that are detailed in this Complaint, engaged many barriers, suffered legal harm and legal injury, and will continue to suffer such harm and injury if all the illegal barriers to access present at the Property identified in this Complaint are not removed.

18. Although Plaintiff did not personally encounter each and every barrier to access identified in Plaintiff's Complaint, Plaintiff became aware of all identified barriers prior to filing the Complaint and because Plaintiff intends on revisiting the Property as a customer and advocate for the disabled within six months or sooner after the barriers to access are removed, it is likely that despite not actually encountering a particular barrier to access on one visit, Plaintiff may encounter a different barrier to access identified in the complaint in a subsequent visit as, for example, one accessible parking space may not be available and he would need to use an alternative accessible parking space in the future on his subsequent visit. As such, all barriers to access identified in the Complaint must be removed in order to ensure Plaintiff will not be

exposed to barriers to access and legally protected injury.

19. Plaintiff's inability to fully access the Property and the stores within in a safe manner and in a manner which inhibits the free and equal enjoyment of the goods and services offered at the Property, both now and into the foreseeable future, constitutes an injury in fact as recognized by Congress and is historically viewed by Federal Courts as an injury in fact.

COUNT I
VIOLATIONS OF THE ADA AND ADAAG

20. On July 26, 1990, Congress enacted the Americans with Disabilities Act 42 U.S.C. § 12101 *et seq.*

21. Congress found, among other things, that:

- (i) some 43,000,000 Americans have one or more physical or mental disabilities, and this number is increasing as the population as a whole is growing older;
- (ii) historically, society has tended to isolate and segregate individuals with disabilities, and, despite some improvements, such forms of discrimination against individuals with disabilities continue to be a serious and pervasive social problem;
- (iii) discrimination against individuals with disabilities persists in such critical areas as employment, housing public accommodations, education, transportation, communication, recreation, institutionalization, health services, voting, and access to public services;
- (iv) individuals with disabilities continually encounter various forms of discrimination, including outright intentional exclusion, the discriminatory effects of architectural, transportation, and communication barriers, overprotective rules and policies, failure to make modifications to existing facilities and practices, exclusionary qualification standards and criteria, segregation, and relegation to lesser service, programs, activities, benefits, jobs, or other opportunities; and
- (v) the continuing existence of unfair and unnecessary discrimination and prejudice denies people with disabilities the opportunity to compete on an equal basis and to pursue those opportunities for which our free society is justifiably famous and costs the United States billions of dollars in

unnecessary expenses resulting from dependency and non-productivity.

42 U.S.C. § 12101(a)(1) - (3), (5) and (9).

22. Congress explicitly stated that the purpose of the ADA was to:

- (i) provide a clear and comprehensive national mandate for the elimination of discrimination against individuals with disabilities;
- (ii) provide a clear, strong, consistent, enforceable standards addressing discrimination against individuals with disabilities; and

* * * * *

- (iv) invoke the sweep of congressional authority, including the power to enforce the fourteenth amendment and to regulate commerce, in order to address the major areas of discrimination faced day-to-day by people with disabilities.

42 U.S.C. § 12101(b)(1)(2) and (4).

23. The congressional legislation provided places of public accommodation one and a half years from the enactment of the ADA to implement its requirements.

24. The effective date of Title III of the ADA was January 26, 1992 (or January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181; 28 C.F.R. § 36.508(a).

25. The Property is a public accommodation and service establishment.

26. Pursuant to the mandates of 42 U.S.C. § 12134(a), on July 26, 1991, the Department of Justice and Office of Attorney General promulgated federal regulations to implement the requirements of the ADA. 28 C.F.R. Part 36.

27. Public accommodations were required to conform to these regulations by January 26, 1992 (or by January 26, 1993 if a defendant has 10 or fewer employees and gross receipts of \$500,000 or less). 42 U.S.C. § 12181 *et seq.*; 28 C.F.R. § 36.508(a).

28. The Property must be, but is not, in compliance with the ADA and ADAAG.

29. Plaintiff has attempted to, and has to the extent possible, accessed the Property in his capacity as a customer at the Property as well as an independent advocate for the disabled, but could not fully do so because of his disabilities resulting from the physical barriers to access, dangerous conditions and ADA violations that exist at the Property that preclude and/or limit his access to the Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

30. Plaintiff intends to visit the Property again in the very near future as a customer and as an independent advocate for the disabled, in order to utilize all of the goods, services, facilities, privileges, advantages and/or accommodations commonly offered at the Property, but will be unable to fully do so because of his disability and the physical barriers to access, dangerous conditions and ADA violations that exist at the Property that preclude and/or limit his access to the Property and/or the goods, services, facilities, privileges, advantages and/or accommodations offered therein, including those barriers, conditions and ADA violations more specifically set forth in this Complaint.

31. Defendant, M.I.T. INVESTMENTS, LLC, has discriminated against Plaintiff (and others with disabilities) by denying his access to, and full and equal enjoyment of the goods, services, facilities, privileges, advantages and/or accommodations of the Property, as prohibited by, and by failing to remove architectural barriers as required by, 42 U.S.C. § 12182(b)(2)(A)(iv).

32. Defendant, M.I.T. INVESTMENTS, LLC, will continue to discriminate against Plaintiff and others with disabilities unless and until Defendant, M.I.T. INVESTMENTS, LLC, is compelled to remove all physical barriers that exist at the Property, including those

specifically set forth herein, and make the Property accessible to and usable by Plaintiff and other persons with disabilities.

33. A specific list of unlawful physical barriers, dangerous conditions and ADA violations which Plaintiff experienced and/or observed, or was made aware of prior to the filing of this Complaint, that precluded and/or limited Plaintiff's access to the Property and the full and equal enjoyment of the goods, services, facilities, privileges, advantages and accommodations of the Property include, but are not limited to:

ACCESSIBLE ELEMENTS:

- i. In front of Unit 6102E, the accessible parking space does not have a marked access aisle in violation of Section 502.3.3 of the 2010 ADAAG standards. This barrier to access makes it nearly impossible for an individual in a wheelchair to enter and exit their vehicle at this accessible parking space due to the close presence of parked vehicles on either side of the accessible parking space not providing enough room for the wheelchair, this eliminates the accessible route from this accessible parking space.
- ii. In front of Unit 6102E, due to the lack of an access aisle, when a vehicle is parked in the accessible parking space and there are cars parked on either side of the accessible parking space, there lacks adequate space for Plaintiff to enter and exit their vehicle. As a result, the Property lacks an accessible route from this accessible parking space to the accessible entrance of the Property in violation of Section 208.3.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access the units of the Property.

- iii. In front of Unit 6102E, the bottom edge of the sign identifying the accessible parking space is at a height below 60 inches from the floor in violation of Section 502.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to locate an accessible parking space.
- iv. In front of Unit 6102C, due to an approximate 2 ½ inch vertical rise at the accessible entrance, the accessible route leading into this public accommodation contains at least one vertical rise in excess of ¼ inch in violation of Section 303.2 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to attempt to utilize the accessible route as it increases the likelihood of the wheelchair tipping.
- v. In front of Unit 6102C, due to an approximate 2 ½ inch vertical rise at the accessible entrance, the maneuvering clearance of the accessible entrance is not level in violation of Section 404.2.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the presence of an excessive vertical rise.
- vi. In front of Unit 3102B-1, due to an approximate 2 ½ inch vertical rise at the accessible entrance, the maneuvering clearance of the accessible entrance is not level in violation of Section 404.2.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the

Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the presence of an excessive vertical rise.

- vii. In front of Unit 3102B-1, due to an approximate 2 ½ inch vertical rise at the accessible entrance, the accessible route leading into this public accommodation contains at least one vertical rise in excess of ¼ inch in violation of Section 303.2 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to attempt to utilize the accessible route as it increases the likelihood of the wheelchair tipping.
- viii. In front of Metro By T-Mobile, due to an approximate 2 ½ inch vertical rise at the accessible entrance, the maneuvering clearance of the accessible entrance is not level in violation of Section 404.2.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the presence of an excessive vertical rise.
- ix. In front of Metro By T-Mobile, due to an approximate 2 ½ inch vertical rise at the accessible entrance, the accessible route leading into this public accommodation contains at least one vertical rise in excess of ¼ inch in

violation of Section 303.2 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to attempt to utilize the accessible route as it increases the likelihood of the wheelchair tipping.

- x. In front of Unit 6102A, due to an approximate 1 ½ inch vertical rise at the accessible entrance, the accessible route leading into this public accommodation contains at least one vertical rise in excess of ¼ inch in violation of Section 303.2 of the 2010 ADAAG Standards. This barrier to access would make it difficult and dangerous for Plaintiff to attempt to utilize the accessible route as it increases the likelihood of the wheelchair tipping.
- xi. In front of Unit 6102A, due to an approximate 1 ½ inch vertical rise at the accessible entrance, the maneuvering clearance of the accessible entrance is not level in violation of Section 404.2.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the presence of an excessive vertical rise.
- xii. In front of Gorditas, due to an approximate 1 ½ inch vertical rise at the accessible entrance, the accessible route leading into this public accommodation contains at least one vertical rise in excess of ¼ inch in violation of Section 303.2 of the 2010 ADAAG Standards. This barrier to

access would make it difficult and dangerous for Plaintiff to attempt to utilize the accessible route as it increases the likelihood of the wheelchair tipping.

- xiii. In front of Gorditas, due to an approximate 1 ½ inch vertical rise at the accessible entrance, the maneuvering clearance of the accessible entrance is not level in violation of Section 404.2.4 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff to access this unit of the Property since it is often necessary for individuals in wheelchairs to need to use their hands to both wheel through the doorway and keep the door open with another hand. When the maneuvering clearance is not level, this ordinarily difficult process is made even more difficult by the presence of an excessive vertical rise.
- xiv. There is not at least one accessible entrance to each tenant space in the building that complies with Section 404 of the 2010 ADAAG standards which is a violation of Section 206.4.5 of the 2010 ADAAG Standards.
- xv. As not all entrances comply with Section 404 of the 2010 ADAAG Standards, entrances that do comply with Section 404 of the 2010 ADAAG Standards are required to have signage identified by the International Symbol of Accessibility indicating an accessible entrance, however, no such signage exists on the Property in violation of Section 216.6 of the 2010 ADAAG Standards. Moreover, there is a lack of directional signage indicating the location of the nearest accessible entrance. This barrier to access would make it difficult for Plaintiff to locate an accessible entrance on the Property.

- xvi. As a result of the barriers to access identified in paragraph 33 (iv – xii), the entrances to the public accommodations offered at the Property are not on an accessible route in violation of Section 206.4 of the 2010 ADAAG Standards. These barriers to access make it difficult and dangerous in patronizing the public accommodations at the Property without exposing himself to significant danger of tipping over.
- xvii. Adjacent to Unit 6102F, the accessible ramp servicing the Property has a cross slope steeper than 1:48 in violation of Section 405.3 of the 2010 ADAAG standards. This barrier to access exposes Plaintiff to increased danger of tipping over as a cross-slope in excess of 1:48 is dangerous, and this excessive cross-slope is made even more dangerous given the fact it is on a sloped surface of a ramp.
- xviii. The total number of accessible parking spaces is inadequate and is in violation of Section 208.2 of the 2010 ADAAG standards. There are sixty-seven parking spaces at the Property, which require a minimum of three accessible parking spaces, but there is only one accessible parking space. This barrier to access would make it difficult for Plaintiff to locate an available accessible parking space as such a small number of accessible parking spaces in a large parking lot increases the likelihood of there not being an available accessible parking space.
- xix. Defendant fails to adhere to a policy, practice and procedure to ensure that all facilities are readily accessible to and usable by disabled individuals.

GORDITAS RESTROOMS

- xx. The door locking hardware of the restrooms are at a height that exceeds 48” from the finished floor, in violation of Section 404.2.7 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom facilities.
- xxi. Due to the placement of a toilet paper dispenser within 12” above the side grab bar, there is inadequate space between the grab bar and objects placed above the grab bar in violation of Section 609.3 of the 2010 ADAAG Standards. This barrier to access would make it difficult for Plaintiff to safely transfer from the wheelchair to the toilet and back.
- xxii. The hand operated flush control is not located on the open side of the accessible toilet in violation of Section 604.6 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to flush the toilet as the location of the flush control on the open side is significantly easier to reach than when it is positioned on the closed side.
- xxiii. The lavatories and/or sinks in the restrooms have exposed pipes and surfaces and are not insulated or configured to protect against contact in violation of Section 606.5 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the sink as the pipes underneath the sink typically have sharp surfaces and/or hot pipes, and since individuals in wheelchairs use a sink while seated, their legs are particularly vulnerable to these threats.

- xxiv. The height of the sink exceeds the 34” maximum height from the finished floor in violation of Section 606.3 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to utilize the restroom facilities.
- xxv. The height of the bottom edge of the reflective surface of the mirror in the bathroom is above the 40-inch maximum height permitted by Section 603.3 of the 2010 ADAAG standards. This barrier to access would make it difficult for the Plaintiff and/or any disabled individual to properly utilize the mirror in the restroom since Plaintiff is sitting in a wheelchair and is lower than a person standing up.
- xxvi. The soap dispenser in the restroom is located higher than 48 inches above the finished floor which is outside the prescribed vertical reach ranges set forth in Section 308.2.1 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to reach the actionable mechanism of the soap dispenser as individuals in wheelchairs are seated and have significantly less reach range than individuals who stand up.
- xxvii. The men’s restroom lacks signage in compliance with Sections 216.8 and 703 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to locate accessible restroom facilities.
- xxviii. The restroom area door lacks a clear minimum maneuvering clearance, due to the proximity of the door hardware within 18 inches to the adjacent wall, in violation of Section 404.2.4 of the 2010 ADAAG standards. This barrier to

access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the restroom due to the fact individuals in wheelchairs have their feet sticking out in front of them and when there is inadequate clearance near the door (less than 18 inches), their protruding feet block their ability to reach the door hardware to open the door.

xxix. Due to a policy of placing the trash can in close proximity to the toilet along with a side wall that is jutting out approximately six inches, there is inadequate clear floor space for the toilet in violation of Section 604.3.2 of the 2010 ADAAG standards. This barrier to access would make it difficult for Plaintiff and/or any disabled individual to safely utilize the toilet in the restroom.

34. The violations enumerated above may not be a complete list of the barriers, conditions or violations encountered by Plaintiff and/or which exist at the Property.

35. Plaintiff requires an inspection of the Property in order to determine all of the discriminatory conditions present at the Property in violation of the ADA.

36. The removal of the physical barriers, dangerous conditions and ADA violations alleged herein is readily achievable and can be accomplished and carried out without significant difficulty or expense. 42 U.S.C. § 12182(b)(2)(A)(iv); 42 U.S.C. § 12181(9); 28 C.F.R. § 36.304.

37. All of the violations alleged herein are readily achievable to modify to the Property into compliance with the ADA.

38. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Property is readily achievable because the nature and cost of the modifications are relatively low.

39. Upon information and good faith belief, the removal of the physical barriers and dangerous conditions present at the Property is readily achievable because Defendant, M.I.T. INVESTMENTS, LLC, have the financial resources to make the necessary modifications. According to the Property Appraiser, the Appraised value of the Property is \$1,658,842.00.

40. The removal of the physical barriers and dangerous conditions present at the Property is also readily achievable because Defendant has available to it a \$5,000.00 tax credit and up to a \$15,000.00 tax deduction from the IRS for spending money on accessibility modifications.

41. Upon information and good faith belief, the Property has been altered since 2010.

42. In instances where the 2010 ADAAG standards do not apply, the 1991 ADAAG standards apply, and all of the alleged violations set forth herein can be modified to comply with the 1991 ADAAG standards.

43. Plaintiff is without adequate remedy at law, is suffering irreparable harm, and reasonably anticipates that he will continue to suffer irreparable harm unless and until Defendant, M.I.T. INVESTMENTS, LLC, is required to remove the physical barriers, dangerous conditions and ADA violations that exist at the Property, including those alleged herein.

44. Plaintiff's requested relief serves the public interest.

45. The benefit to Plaintiff and the public of the relief outweighs any resulting detriment to Defendant, M.I.T. INVESTMENTS, LLC

46. Plaintiff's counsel is entitled to recover its reasonable attorney's fees and costs of litigation from Defendant, M.I.T. INVESTMENTS, LLC, pursuant to 42 U.S.C. §§ 12188 and 12205.

47. Pursuant to 42 U.S.C. § 12188(a), this Court is provided authority to grant injunctive relief to Plaintiff, including the issuance of an Order directing Defendant, M.I.T. INVESTMENTS, LLC, to modify the Property to the extent required by the ADA.

WHEREFORE, Plaintiff prays as follows:

- (a) That the Court find Defendant, M.I.T. INVESTMENTS, LLC, in violation of the ADA and ADAAG;
- (b) That the Court issue a permanent injunction enjoining Defendant, M.I.T. INVESTMENTS, LLC, from continuing their discriminatory practices;
- (c) That the Court issue an Order requiring Defendant, M.I.T. INVESTMENTS, LLC, to (i) remove the physical barriers to access and (ii) alter the Property to make it readily accessible to and useable by individuals with disabilities to the extent required by the ADA;
- (d) That the Court award Plaintiff his reasonable attorneys' fees, litigation expenses and costs; and
- (e) That the Court grant such further relief as deemed just and equitable in light of the circumstances.

Dated: January 9, 2024

Respectfully submitted,

/s/ Douglas S. Schapiro
Douglas S. Schapiro, Esq.
Southern District of Texas ID No. 3182479
The Schapiro Law Group, P.L
7301-A W. Palmetto Park Rd., #100A
Boca Raton, FL 33433
Tel: (561) 807-7388
Email: schapiro@schapirolawgroup.com